



DIAGNOSTIC SERVICES
MANITOBA

SERVICES DIAGNOSTIC
MANITOBA

**Request for Prothrombin Complex
Concentrates (PCC)**

Approved by:

Dr. Charles Musuka

Effective Date:

08-JUN-2017

Document # F160-INV-16B

Version # 03

Source Document:

DSM Transfusion Medicine Manual

Request for Prothrombin Complex Concentrates (PCC)

To request a blood product from facility blood bank for transfusion:

1. Provide addressograph/label or print request form.
2. Provide requesting physician and date required.
3. Select appropriate Indication (✓).
4. Fax completed form to blood bank.

All PCC orders are considered STAT

Physician Information and contact:

PHN/PHIN:

Last Name:

First Name:

DOB:

Physician /
Authorized Health Care Provider:

Requesting physician:	Date Required:
Requesting physician's contact number:	Physician specialty:
INR result:	Date and time of INR:
On warfarin: <input type="checkbox"/> No (contact Transfusion Medicine physician on-call) <input type="checkbox"/> Yes When was last dose? :	
Does the patient have/had a history of Heparin Induced Thrombocytopenia (HIT)? <input type="checkbox"/> No <input type="checkbox"/> Yes (contact Transfusion Medicine physician on-call)	
Is the patient on New Oral Anticoagulants ? <input type="checkbox"/> No <input type="checkbox"/> Yes (Contact Hematologist on-call directly)	

	Indication	Order
1	<input type="checkbox"/> Congenital Coagulation Factor Deficiency	Consult the Bleeding Disorders Clinic at: 204-787-2465
2a	<input type="checkbox"/> Taking warfarin and actively bleeding or requiring urgent surgery/invasive procedure within 6 hours and INR is 1.7 – 3.0	Administer: PCC 1000 IU and Phytonadione (Vitamin K ₁) 10 mg IV over 30 min. Repeat INR 15 min after PCC infusion complete
2b	<input type="checkbox"/> Taking warfarin and actively bleeding or requiring urgent surgery/invasive procedure within 6 hours and INR is 3.1 – 5.0	Administer: PCC 2000 IU and Phytonadione (Vitamin K ₁) 10 mg IV over 30 min. Repeat INR 15 min after PCC infusion complete
2c	<input type="checkbox"/> Taking warfarin and actively bleeding or requiring urgent surgery/invasive procedure within 6 hours and INR is ≥ 5.0	Administer: PCC 3000 IU and Phytonadione (Vitamin K ₁) 10 mg IV over 30 min. Repeat INR 15 min after PCC infusion complete
2d	Taking warfarin and (select one indication): <input type="checkbox"/> actively bleeding or requiring urgent surgery/invasive procedure within 6 hours and INR is unknown <input type="checkbox"/> has an intracranial hemorrhage	Administer: PCC 2000 IU and Phytonadione (Vitamin K ₁) 10 mg IV over 30 min. Repeat INR 15 min after PCC infusion complete
3	<input type="checkbox"/> Subsequent Dosing (if INR not corrected)	Call Transfusion Medicine physician on-call

As per Manitoba Health, PCC utilization will be audited using the information provided on this form.

Incomplete/insufficient information may result in treatment delays.

For further information and product infusion information see <http://bestbloodmanitoba.ca/for-clinicians/product-information/blood-derivatives/prothrombin-complex-concentrate-pcc/>

Transporter Name: _____
(Print)

Issue By: _____

Date / Time: _____