For PDF Fillable Requisitions, the following applies:

- 1. The form shall be completed using a Digital Health assigned computer.
- 2. Absolutely no personal health information shall be electronically saved on a computer.
- 3. The completed form shall not be shared electronically. If you reasonably believe that e-mailing the information is the only available method of communication or the only way to send the information then you must adhere to the Privacy guideline titled "E-mailing Personal Health Information".
- 4. All forms must be completed in their entirety, e.g. if a staff member has only completed half of a form they cannot save their work and then come back to complete it at a later date.
- 5. Once the personal health information has been recorded onto the form, it is to be printed immediately, deleted (not saved) from the computer, and then stored securely inside the client (paper) health record or scanned into an electronic record.
- 6. Do not print unnecessary duplicate copies of the form.
- 7. Regular audits of the Digital Health assigned computer shall be undertaken to ensure that no personal health information is being duplicated and saved.

		d/m/y	
		Collection Date:	Time:
		ORDERING PROFESSIONAL: (If different from physician)	
		PHYSICIAN BILLING CODE:	
		PHYSICIAN: (PRINT) LAST, FIRST	
		MB PHIN: (Specify province if different)	
DICCITLI		SEX 🗆 F 🗆 M	
BIOCHEM	IISTRY TEST REQUISITION	DATE OF BIRTH: DD/MMM/YYYY	
		PATIENT NAME: LAST, FIRST	
	DO MANTODA		
	SERVICES DE DIAGNOSTIC DU MANITOBA	LOCATION:	
\bigcirc	DIAGNOSTIC SERVICES OF MANITOBA		ADDRESSOGRAPH PREFERRED or PRINT ONLY:

RASBURICASE PROTOCOL – URIC ACID

Specimen Collection

Adult: 1 – 4.5 mL Lithium Heparin PST Tube (*PLACE PROMPTLY ON ICE)

Pediatric: 1 – 0.6 mL Lithium Heparin Microtainer PST Tube (*PLACE PROMPTLY ON ICE)

KEEP ON ICE & TRANSPORT <u>IMMEDIATELY</u> TO BIOCHEMISTRY LABORATORY

Test Name	Test Code
Rasburicase Protocol - Uric Acid	RPUA

PROCESSING

- Sample <u>MUST</u> be centrifuged at 4°C, keep ON ICE until analysis.
- Perform analysis without delay
- Program manually at the instrument for uric acid
- Enter the result on the RPUA format

Caution: Rasburicase protocol – uric acid is for patients being treated with the enzyme Rasburicase. This enzyme breaks down uric acid ex-vivo. Thus, samples for rasburicase protocol must be kept at 2-8 °C and analyzed promptly.